

STATE: Uttar Pradesh



DATED: 15/6/2010

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); UC (Under Consideration); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)							
No.	Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
			Instt.	Std. Comm.	DGET		
28.	R.S.P.D.M. ITC, Basthanwa Post. Nedula Dist. Basti Uttar Pradesh DGET-6/24/44/2010-TC	Electrician Fitter	4(2+2) 4(2+2)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-7/2/2010 w.e.f. Aug 2010
29.	B.R.S ITC, Sukhpura, Dist. Ballia Uttar Pradesh DGET-6/24/13/2009-TC	Fitter Electrician COPA	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) 2(1+1)	2(1+1) 2(1+1) *Rejected	2(1+1) 2(1+1) *Rejected	SCIR-11/2/2009 w.e.f. Aug 2010 *Rejected as the plan submitted with Annexure III & that submitted with clarification are different and not signed by SCIR members.
30.	Global ITC, Vill & Post. Rajouli, Kursi Road, Dist. Lucknow-226024 Uttar Pradesh DGET-6/24/87/2010-TC (New Pvt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-17/5/2010 w.e.f. Aug 2010
31.	Mamta Presentation ITC, Radha Nagar, Teri Bagiya, Hathras Road, Dist. Agra Uttar Pradesh DGET-6/24/88/2010-TC (New Pvt.)	Electrician Fitter	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) 2(1+1)	SCIR-18/3/2010 w.e.f. Aug 2010
32.	DTS ITC, 129-C, Jajmau Dist. Kanpur Uttar Pradesh DGET-6/24/7/2009-TC	Plumber Electrician	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) *	2(1+1) *	SCIR-8/3/2010 w.e.f. Aug 2010 * Bills of Tools & Equipment for Electrician trade not enclosed. S/D to clarify.

प्रेषक,

निदेशक,
प्रशिक्षण एवं सेवायोजन,
उत्तर प्रदेश, लखनऊ।

शेमा में,

प्रधानाचार्य/प्रबन्धक,
ग्लोबल औद्योगिक प्रशिक्षण केन्द्र
रजौली कुर्सी रोड
लखनऊ।

पत्रांक-

विषय:- स्थायी समिति की निरीक्षण रिपोर्ट के आधार पर निजी औद्योगिक केन्द्रों के व्यवसाय/गृहनिर्माण का स्थायी सम्बन्धन प्रदान किये जाने के बारे में महा निदेशालय रोजगार एवं प्रशिक्षण, डीजीआईटीओ नई दिल्ली में गठित उप समिति द्वारा लिये गये निर्णय की सूचना के सम्बन्ध में।

महोदय,

उपरोक्त विषय के सम्बन्ध में आपको सूचित किया जाता है कि आपके केन्द्र की विभागीय निरीक्षण रिपोर्ट दिनांक 26-3-2011 पर दिनांक 08-06-2011 को महानिदेशालय, सेवायोजन एवं प्रशिक्षण, नई दिल्ली में राष्ट्रीय व्यावसायिक प्रशिक्षण परिषद् की उप समिति की बैठक सम्पन्न होगी। उप समिति द्वारा आपके संस्थान से सम्बन्धित उक्त निरीक्षण रिपोर्ट के बारे में जो निर्णय लिया गया है, उसका उद्घरण व्यवसायवार नीचे अंकित किया जा रहा है:-

क्रम सं०	व्यवसाय/एकक जिनके लिए संस्थान/केन्द्र द्वारा स्थायी संबंधन का अनुरोध किया गया।	संस्तुति की गयी		अनुसूति
		स्थायी समिति द्वारा	डीजीआईटीओ द्वारा	
1	2	3	4	5
1-	Electrician Addl. one unit		Addl. one unit Total 3(1+1+1)	DIR-26/3/11 w.e.f. Aug.2011
2-	Fitter Addl. one unit		Addl. one unit Total 3(1+1+1)	

DGET-6/24/87/2010 -TC DATED 08/06/2011

प्रयोग किये गये संकेत:-

- (1) एस०सी०आई०आर०-स्थायी समिति की निरीक्षण रिपोर्ट
- (2) एस०आई०आर०-पूरक निरीक्षण रिपोर्ट
- (3) डी०आई०आर०-विभागीय निरीक्षण रिपोर्ट
- (4) यू०सी०-विचारार्थीन
- (5) एन०आई०आर०-संस्तुति नहीं किया गया।
- (6) एन०सी०-विचार नहीं किया गया।
- (7) आपसे आधेमा बिन्दुवार साध्य सहित दो प्रतियों में इस निदेशालय को अविलम्ब प्रेषित करें। ताकि अग्रिम कार्यवाही की जा सके।

विशेष :- यह भी स्पष्ट किया जाता है कि भारत सरकार द्वारा यदि आपके संस्थान के वांछित व्यवसायों को मान्यता प्रदान नहीं कि गई है तो आप इन व्यवसायों में प्रवेश न करें। इन अमान्य व्यवसायों के प्रशिक्षार्थियों को आगामी अखिल भारतीय व्यवसायिक परीक्षा में सम्मिलित नहीं करवा जायेगा, जिसका पूर्ण उत्तरदायित्व आपका होगा।

भवदीय,

(राहुल देव)
अपर निदेशक (प्रशिक्षण/शिक्षण)

तददिनांकित

पत्रांक : 5769 / टी-3 / रा०प० / ग०स०संस्तुति /

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. संयुक्त निदेशक (प्रशिक्षण/शिक्षण) लखनऊ को इस आशय से प्रेषित कि वह उपरोक्त विशेष बिन्दु पर विशेष ध्यान दें तथा संबंधित संस्थान/केन्द्र को भी अपने स्तर से अवगत कराये।
2. संबंधित संस्थान/केन्द्र की व्यक्तिगत पत्रावली हेतु।
3. गार्ड फाइल हेतु।

उप निदेशक, व्यवसायिक परीक्षा परिषद् अलीगंज, लखनऊ।

(राहुल देव)
अपर निदेशक (प्रशिक्षण/शिक्षण)

STATE: Uttar Pradesh

DATED: 08/06/2011


Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

31.	Prabha ITC, Vill. & Post. Rampur Sardha, Dist. Faizabad Uttar Pradesh DGET-6/24/127/2010-TC	Fitter Electrician	Addl. 2 Units Addl. 2 Units	- -	Addl. 2 units Total 6(2+2+2) Addl. 2 units Total 6(2+2+2)	Addl. 2 units Total 6(2+2+2) Addl. 2 units Total 6(2+2+2)	DIR-23/4/2011 w.e.f. Aug 2011
32	Ideal ITC, Garhi Shahadra Express Sector-143 Noida Dist. Gautam Budh Nagar Uttar Pradesh DGET-6/24/109/2009-TC	Fitter Electrician	Addl. 4 units Addl. 3 units	- -	Addl. 4 units Total 12(4+4+4) Addl. 3 units Total 9(3+3+3)	Addl. 4 units Total 12(4+4+4) Addl. 3 units Total 9(3+3+3)	DIR-24/1/2011 w.e.f. Aug 2011
33	Jawali Ram Ramkali Devi ITC, E-7, Bhagwan Nagar, P.O. Aduki NH-2, Dist. Mathura Uttar Pradesh DGET-6/24/83/2010-TC	Electrician	Addl. Two units	-	Addl. Two units Total 6(2+2+2)	Addl. Two units Total 6(2+2+2)	DIR-7/4/2011 w.e.f. Aug 2011
34	Global ITC, Vill & Post. Rajouli, Kursi Road, Dist. Lucknow-Pin-226024 Uttar Pradesh DGET-6/24/87/2010-TC	Electrician Fitter	Addl. One Unit Addl. One Unit	- -	Addl. One Unit Total 3(1+1+1) Addl. One Unit Total 3(1+1+1)	Addl. One Unit Total 3(1+1+1) Addl. One Unit Total 3(1+1+1)	DIR-26/3/2011 w.e.f. Aug 2011
35	Ankerite ITC, C.R.P.F Chauraha, Mati Road, Post. Mati, Dist. Bijnore Uttar Pradesh DGET-6/24/41/2011-TC (New Pvt.)	Fitter Electrician	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	4(2+2) 4(2+2)	SCIR-20/1/2011 w.e.f. Aug 2011
36	Kalpnath ITC, Kasaunder, Dist. Ballia, Uttar Pradesh	Welder COPA	2(1+1) 2(1+1)	2(1+1) 2(1+1)	2(1+1) .	2(1+1) .	SCIR-19/12/2010 w.e.f. Aug 2011 *1. Bill for MS-Office shows only 3 user license

STATE: Uttar Pradesh

Dated: 07/10/2016

Sl. No.	Registration No.	Name of the Institute	Category	Trade	Duration	Level	W.e.f.
188	A16000468	K.D SINGH PRIVATE ITI GHAZIPUR GANDHAPA, BARACHAWAR, MOHAMMADABAD, GHAZIPUR, UTTAR PRADESH	Old	ELECTRICIAN	4(1+1+2)	4(1+1+2)	4(1+1+2) w.e.f. August 2016
		K.D SINGH PRIVATE ITI GHAZIPUR GANDHAPA, BARACHAWAR, MOHAMMADABAD, GHAZIPUR, UTTAR PRADESH		FITTER	4(1+1+2)	4(1+1+2)	4(1+1+2)
189	A16001296	GLOBAL Private ITI LUCKNOW vill-rajauli, PO-rajauli kursi road dist-lucknow, UTTAR PRADESH	Old	ELECTRICIAN	9(3+3+3)	9(3+3+3)	9(3+3+3) w.e.f. August 2016
		GLOBAL Private ITI LUCKNOW vill-rajauli, PO-rajauli kursi road dist-lucknow, UTTAR PRADESH		FITTER	3(1+1+1)	3(1+1+1)	3(1+1+1)
190	A16002462	Ayush Private ITI MIRAZAPUR Vill-Khaira Post- Bagaha, UTTAR PRADESH	Old	ELECTRICIAN	6(2+2+2)	6(2+2+2)	6(2+2+2) w.e.f. August 2016
		Ayush Private ITI MIRAZAPUR Vill-Khaira Post- Bagaha, UTTAR PRADESH		FITTER	9(3+3+3)	9(3+3+3)	9(3+3+3)


महेश चन्द कर्दम, MAHESH CHAND KARDAM
संयुक्त निदेशक प्रशिक्षण, Joint Director of Training
प्रशिक्षण महाविभाग, Directorate General of Training
कौशल विकास और उद्यमशीलता मंत्रालय
Ministry of Skill Development and Entrepreneurship
भारत सरकार, श्रम शक्ति भवन, २-४, रफी मार्ग, नई दिल्ली
Govt. of India, Shram Shakti Bhawan, 2-4, Rafi Marg, New Delhi